

| | Type | Hits | Search Text | DBs |
|----|------|--------|---|---|
| 1 | BRS | 50143 | fluorescent near (lamp or bulb) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 2 | BRS | 17049 | (socket or base) and (fluorescent near (lamp or bulb)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 3 | BRS | 21019 | electric\$4 near (socket or base) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 4 | BRS | 212532 | electric\$4 with (socket or base) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 5 | BRS | 10 | electric\$4 with (socket or base) with (in or within) with (ballast near circuit) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 6 | BRS | 4 | (multi near chip) with (ballast near circuit) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 7 | BRS | 0 | (electric\$4 with (socket or base)) and ((multi near chip) with (ballast near circuit)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 8 | BRS | 82 | electric\$4 with (socket or base) with (ballast near circuit) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 9 | BRS | 364211 | electric\$4 with (socket or base or housing or (hollow near body)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 10 | BRS | 39 | (electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near epoxy) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 11 | BRS | 50166 | fluorescent near (lamp or bulb) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 12 | BRS | 0 | ((electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near epoxy)) and (fluorescent near (lamp or bulb)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 13 | BRS | 170 | (electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near sink) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 14 | BRS | 209 | (electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and ((thermal near (sink or epoxy))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 15 | BRS | 2 | ((electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and ((thermal near (sink or epoxy)))) and (fluorescent near (lamp or bulb)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 16 | BRS | 2105 | 361/720,760.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|----|------|------|---|---|
| 17 | BRS | 3 | 361/720,760.ccls. and (fluorescent near (lamp or bulb)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 18 | BRS | 2 | 361/720,760.ccls. and ((electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near epoxy)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 19 | BRS | 427 | 361/720,760.ccls. and (electric\$4 with (socket or base or housing or (hollow near body))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 20 | BRS | 578 | 361/720.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 21 | BRS | 27 | 361/720.ccls. and ((thermal near (sink or epoxy))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 22 | BRS | 5 | 361/720.ccls. and (thermal near epoxy) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 23 | BRS | 0 | 174/DIG32.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 24 | IS&R | 0 | (174/DIG32).CCLS. | USPAT; USOCR |
| 25 | IS&R | 0 | ("DIG0032").PN. | USPAT; USOCR |
| 26 | BRS | 80 | (electric\$4 with (socket or base or housing or (hollow near body))) and (thermal near epoxy) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 27 | BRS | 474 | (electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near (sink or management)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 28 | BRS | 199 | (electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near (sink or management)) and epoxy | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 29 | BRS | 0 | (electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near (sink or management)) and epoxy and (fluorescent near (lamp or bulb)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 30 | BRS | 3 | (electric\$4 with (socket or base or housing or (hollow near body))) and (circuit near board) and (thermal near (sink or management)) and epoxy and bulb | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 31 | BRS | 1428 | 315/58-63.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 32 | BRS | 190 | 315/58-63.ccls. and (fluorescent near (lamp or bulb)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|----|------|------|---|---|
| 33 | BRS | 1429 | 315/58-63.ccls. (fluorescent near (lamp or bulb)) and (circuit near board) and (thermal near epoxy) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 34 | BRS | 7 | 315/58-63.ccls. and (fluorescent near (lamp or bulb)) and (circuit near board) and (compound or epoxy) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 35 | BRS | 3 | ("3662381" "4463282" "4739222").PN. | USPAT |
| 36 | BRS | 10 | "5164635".URPN. | USPAT |
| 37 | BRS | 3 | ("3662381" "4463282" "4739222").PN. | USPAT |
| 38 | BRS | 4 | ("3987334" "4096450" "4459506" "4571526").PN. | USPAT |
| 39 | BRS | 408 | (circuit near board) with elements with (both near sides) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 40 | BRS | 847 | (circuit near board) with components with (both near sides) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 41 | BRS | 1 | ((circuit near board) with elements with (both near sides)) and 315/58-63.ccls. and (fluorescent near (lamp or bulb)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 42 | BRS | 5 | ("4503360" "5381073" "5545950" "5691598" "5961204").PN. | USPAT |
| 43 | BRS | 0 | "6492773".URPN. | USPAT |
| 44 | BRS | 1 | ((circuit near board) with components with (both near sides)) and 315/58-63.ccls. and (fluorescent near (lamp or bulb)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 45 | BRS | 0 | (design near dependent near components) and (design near independent near components) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 46 | BRS | 0 | ((circuit near board) with (filter near inductor) with (resonant near inductor)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 47 | BRS | 0 | ((circuit near board) same (filter near inductor) same (resonant near inductor)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 48 | BRS | 715 | (circuit near board) same filter same (resona\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 49 | BRS | 45 | (circuit near board) same filter same resona\$5 same switch\$5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 50 | BRS | 3 | (fluorescent near (lamp or bulb)) and ((circuit near board) same filter same resona\$5 same switch\$5) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|----|------|------|---|---|
| 51 | BRS | 11 | (circuit near board) and (filter near inductor) and (resonant near inductor) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 52 | BRS | 7 | 361/720,760,736.ccls. and (fluorescent near (lamp or bulb) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 53 | BRS | 687 | 361/720,760,736.ccls. and (electric\$4 with (socket or base or housing or (hollow near body))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 54 | BRS | 272 | 174/260.ccls. and (electric\$4 with (socket or base or housing or (hollow near body))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 55 | BRS | 2 | 174/260.ccls. and (fluorescent near (lamp or bulb) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 56 | BRS | 7 | 439/620.ccls. and (fluorescent near (lamp or bulb) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 57 | IS&R | 1 | ("6437502").PN. | USPAT; USOCR |
| 58 | IS&R | 1 | ("6637915").PN. | USPAT; USOCR |
| 59 | IS&R | 1 | ("6659616").PN. | USPAT; USOCR |
| 60 | IS&R | 1 | ("5164635").PN. | USPAT; USOCR |
| 61 | BRS | 4816 | (circuit near board) with (heat near sink) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 62 | BRS | 0 | ((circuit near board) with (heat near sink)) and (compact near fluorescent near lamp) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 63 | BRS | 0 | ((circuit near board) with (heat near sink)) and (compact near fluorescent near bulb) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 64 | BRS | 27 | ((circuit near board) with (heat near sink)) and (fluorescent near lamp) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 65 | BRS | 0 | "20020140368".URPN. | USPAT |
| 66 | BRS | 0 | "20020140368".URPN. | USPAT |
| 67 | BRS | 5 | ("4809136" "5021295" "5119466" "5733823" "6426874").PN. | USPAT |
| 68 | BRS | 0 | "6633137".URPN. | USPAT |
| 69 | BRS | 0 | "6633137".URPN. | USPAT |
| 70 | BRS | 0 | ((heat near sink) with on with (circuit near board)) and (fluorescent near lamp) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 71 | BRS | 5 | ((heat near sink) with (circuit near board)) same (fluorescent near lamp) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 72 | BRS | 0 | ((thermal near sink) with (circuit near board)) same (fluorescent near lamp) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 73 | BRS | 27 | ((heat near sink) with (circuit near board)) and (fluorescent near lamp) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 74 | IS&R | 1 | ("6492773").PN. | USPAT; USOCR |

| | Type | Hits | Search Text | DBs |
|----|------|--------|---|---|
| 75 | IS&R | 13 | ((("6,459,215") or ("6,443,769") or ("6,064,155") or ("5,952,792") or ("5,703,440") or ("5,691,603") or ("5,653,527") or ("5,504,394") or ("5,485,057") or ("5,294,865") or ("5,128,590") or ("5,049,785") or ("5,030,890"))).PN. | USPAT; USOCR |
| 76 | BRS | 2986 | 362/260,264,263,294,373.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 77 | BRS | 1570 | compact near fluorescent near (lamp or bulb) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 78 | BRS | 99 | 362/260,264,263,294,373.ccls. and (compact near fluorescent near (lamp or bulb)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 79 | BRS | 30 | 313/318.01,318.11,318.12.ccls. and (compact near fluorescent near (lamp or bulb)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 80 | IS&R | 1 | ("6637921").PN. | USPAT; USOCR |
| 81 | IS&R | 15 | ((("6,459,215") or ("6,443,769") or ("6,064,155") or ("5,952,792") or ("5,703,440") or ("5,691,603") or ("5,653,527") or ("5,504,394") or ("5,485,057") or ("5,294,865") or ("5,128,590") or ("5,049,785") or ("5,030,890") or ("4,857,806") or ("4,644,226"))).PN. | USPAT; USOCR |
| 82 | BRS | 321230 | circuit near board | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 83 | BRS | 112 | S2 and ((heat near sink) with (thermal near conductor)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 84 | BRS | 106 | S3 and @ad < "20021004" | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 85 | BRS | 3287 | electronic near ballast | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 86 | BRS | 37 | S2 and (heat near sink) and S5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 87 | IS&R | 1 | ("6437502").PN. | USPAT; USOCR |
| 88 | IS&R | 2 | ((("6437502") or ("6582269"))).PN. | USPAT; USOCR |
| 89 | IS&R | 3 | ((("6437502") or ("6582269") or ("6494730"))).PN. | USPAT; USOCR |
| 90 | IS&R | 4 | ((("6437502") or ("6582269") or ("6494730") or ("6492773"))).PN. | USPAT; USOCR |
| 91 | IS&R | 5 | ((("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761"))).PN. | USPAT; USOCR |

| | Type | Hits | Search Text | DBs |
|-----|------|---------|--|---|
| 92 | IS&R | 6 | (("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761") or ("5961204")).PN. | USPAT; USOCR |
| 93 | IS&R | 7 | (("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761") or ("5961204") or ("5545950")).PN. | USPAT; USOCR |
| 94 | IS&R | 8 | (("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761") or ("5961204") or ("5545950") or ("5955841")).PN. | USPAT; USOCR |
| 95 | IS&R | 9 | (("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761") or ("5961204") or ("5545950") or ("5955841") or ("5703440")).PN. | USPAT; USOCR |
| 96 | IS&R | 10 | (("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761") or ("5961204") or ("5545950") or ("5955841") or ("5703440") or ("4961027")).PN. | USPAT; USOCR |
| 97 | IS&R | 10 | (("6437502") or ("6582269") or ("6494730") or ("6492773") or ("6150761") or ("5961204") or ("5545950") or ("5955841") or ("5703440") or ("4961027")).PN. | USPAT; USOCR |
| 98 | IS&R | 3 | (("6091199") or ("5952792") or ("6388396")).PN. | USPAT; USOCR |
| 99 | BRS | 4 | ("5154504" "5406176" "5668446" "6118230").PN. | USPAT |
| 100 | BRS | 0 | "6388396".URPN. | USPAT |
| 101 | BRS | 0 | "6388396".URPN. | USPAT |
| 102 | BRS | 6 | ("2711382" "4738024" "5015803" "5307236" "5397917" "5629581").PN. | USPAT |
| 103 | BRS | 0 | "6091199".URPN. | USPAT |
| 104 | BRS | 0 | "6091199".URPN. | USPAT |
| 105 | BRS | 9 | ("4119889" "4171503" "4480212" "4490649" "4675577" "4727295" "5306986" "5504394" "5723947").PN. | USPAT |
| 106 | BRS | 1042750 | (electronic near ballast) or (ballast near circuit board) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 107 | BRS | 1044615 | (electronic near ballast) or (ballast near circuit board) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|-----|------|---------|---|---|
| 108 | BRS | 1042513 | ballast near circuit board | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 109 | BRS | 38 | ballast near circuit near board | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 110 | BRS | 7 | S29 and (heat near sink) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 111 | BRS | 10 | S29 and ((heat or thermal) with (sink or dissipat\$6)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 112 | IS&R | 1 | ("6437502").PN. | USPAT |
| 113 | IS&R | 1 | ("6437502").PN. | USPAT |
| 114 | IS&R | 1 | ("4739222").PN. | USPAT |
| 115 | IS&R | 1 | ("6437502").PN. | USPAT |
| 116 | IS&R | 2 | ("11025751").PN. | JPO; DERWENT |
| 117 | BRS | 3106 | 362/260,264,363,294,373.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 118 | BRS | 2030 | (313/58,59,60,61,49-51,318.01,318.11,318.12).ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 119 | BRS | 1205 | 439/620.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 120 | BRS | 2934 | 361/720,760,736.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 121 | BRS | 1771 | 174/260.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 122 | BRS | 10579 | S117 or S118 or S119 or S120 or S121 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 123 | BRS | 18325 | (socket or base) and (fluorescent near (lamp or bulb)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 124 | BRS | 586 | S122 and S123 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 125 | BRS | 2 | S124 and ((thermal near (sink or epoxy))) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 126 | BRS | 275 | S124 and circuit\$4 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 127 | BRS | 30 | ("5955841" or "6494730" or "6492773" or "6150761" or "6411524" or "5971564" or "5961204" or "5545950" or "5164635" or "6582269" or "6437502" or "4739222" or "4961027" or "570344").pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 128 | BRS | 203391 | heat sink or (thermal\$4 conduct\$5) or (thermal epoxy) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 129 | BRS | 55174 | fluorescent near (lamp or bulb) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|-----|------|--------|---|---|
| 130 | BRS | 1763 | compact near fluorescent near (lamp or bulb) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 131 | BRS | 55183 | S129 or S130 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 132 | BRS | 1265 | S131 and S128 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 133 | BRS | 287 | S132 and (screw or edison) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 134 | BRS | 26 | S132 and (screw or edison) and ballast and chip | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 135 | BRS | 26 | S132 and (screw or edison) and ballast and chip and circuit | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 136 | BRS | 0 | ("2003/0080691").URPN. | USPAT |
| 137 | BRS | 4 | ("4444944" "4739222" "5164635" "5691598").PN. | US-PGPUB; USPAT; USOCR |
| 138 | BRS | 0 | ("6794801").URPN. | USPAT |
| 139 | BRS | 106 | S132 and (screw or edison) and ballast | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 140 | BRS | 0 | S132 and S127 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 141 | BRS | 0 | S128 and S127 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 142 | BRS | 203391 | heat sink or (thermal\$4 near conduct\$5) or (thermal epoxy) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 143 | BRS | 0 | S142 and S127 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 144 | IS&R | 1 | ("4739222").PN. | USPAT |
| 145 | BRS | 4 | ("3987334" "4096450" "4459506" "4571526").PN. | US-PGPUB; USPAT; USOCR |
| 146 | BRS | 3 | ("4739222").URPN. | USPAT |
| 147 | BRS | 3 | ("4739222").URPN. | USPAT |
| 148 | IS&R | 1 | ("4961027").PN. | USPAT |
| 149 | BRS | 8 | ("4173730" "4270071" "4623823" "4683402" "4688874" "4695767" "4761585" "4857806").PN. | US-PGPUB; USPAT; USOCR |
| 150 | BRS | 9 | ("4961027").URPN. | USPAT |
| 151 | IS&R | 1 | ("6150761").PN. | USPAT |
| 152 | BRS | 4 | ("3875459" "5581161" "5942883" "5955841").PN. | US-PGPUB; USPAT; USOCR |
| 153 | BRS | 0 | ("6150761").URPN. | USPAT |
| 154 | IS&R | 0 | ("6.548,948").PN. | USPAT |
| 155 | IS&R | 1 | ("6548,948").PN. | USPAT |
| 156 | IS&R | 0 | ("20020047612").PN. | USPAT; USOCR |
| 157 | IS&R | 0 | (2002/0047612).CCLS. | USPAT; USOCR |

| | Type | Hits | Search Text | DBs |
|-----|------|--------|--|--|
| 158 | IS&R | 2 | ("0047612").PN. | USPAT; USOCR |
| 159 | BRS | 0 | Sabat-luan-a.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 160 | BRS | 0 | Sabat-juan-a.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 161 | BRS | 3 | Sabate-juan-a.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 162 | BRS | 160 | matui-\$.in. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 163 | BRS | 0 | matui-\$.in. and ballast | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 164 | BRS | 1 | matui-\$.in. and fluorescent | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 165 | BRS | 1 | ("5289079").PN. | US-PGPUB; USPAT; USOCR |
| 166 | BRS | 0 | ("6548948").URPN. | USPAT |
| 167 | BRS | 598190 | (heat sink) or (thermal\$4 near conduct\$5) or epoxy or (thermal epoxy) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 168 | BRS | 1 | "6548948".pn. and S167 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 169 | IS&R | 1 | ("4739222").PN. | USPAT |
| 170 | BRS | 2 | "6548948".pn. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 171 | BRS | 2044 | 313/58,59,60,61,49- 51,318.01,318.11,318.12.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 172 | BRS | 3218 | 362/260,264,363,294,373.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 173 | BRS | 1233 | 439/620.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 174 | BRS | 3034 | 361/720,760,736.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 175 | BRS | 1859 | 174/260.ccls. | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 176 | BRS | 10905 | S171 or S172 or S173 or S174 or S175 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 177 | BRS | 55215 | fluorescent near (lamp or bulb) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 178 | BRS | 16851 | base and S177 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 179 | BRS | 836 | S178 and (ballast circuit) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 180 | BRS | 3 | S178 and (ballast circuit) and (thermal epoxy) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |

| | Type | Hits | Search Text | DBs |
|-----|------|------|--|---|
| 181 | BRS | 3 | S178 and (ballast circuit) and ((thermal epoxy) or (heatsink)) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |
| 182 | BRS | 6 | S178 and (ballast circuit) and (diffus\$6 cover) | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB |